



\$379.0**0**

\$59.0**0**

20V MAX* XR® Brushless 30° Paper Tape Framing Nailer (Tool Only)

20V MAX* XR® Brushless 21° Plastic Collated Framing Nailer (Tool Only)



DCN930B

• NOSE MADE FOR "TOE NAILING":

Align, grip, and drive nails at aggressive angles with ease due the newly redesigned nose

• BUILD PRODUCTIVELY:

Minimize time between shots using rapid sequential mode

• EXTENDED MAGAZINE:

Hold two strips of nails and reduce reloading time using an optional extended magazine made from lightweight, robust materials (sold separately)

DCN930P1 DZN930

20V MAX* Brushless 30° Paper Tape Framing Nailer Kit KIT Extended Magazine - COMING SOON \$8

\$119.00



DCN920B

• NOSE MADE FOR "TOE NAILING":

Align, grip, and drive nails at aggressive angles with ease due the newly redesigned nose

BUILD PRODUCTIVELY:

Minimize time between shots using rapid sequential mode

EXTENDED MAGAZINE:

Hold two strips of nails and reduce reloading time using an optional extended magazine made from lightweight, robust materials (sold separately)

KIT AVAILABLE: ACCESSORY:

DCN920P1 DZN920

Extended Magazine - COMING SOON \$85

20V MAX* Brushless 21° PPlastic Collated Framing Nailer Kit

TOUGHSERIES™ Construction Jack

TOUGHSERIES™ 12 in Hybrid Clamp



Squeeze trigger capable of 300 lb/136 kg holding force. Screw handle increases holding force up to 825 lb/374 kg

GLUE RESISTANT PADS:

For easy cleanup and to avoid damage to the clamp and/or workpiece

QUICK CHANGE MECHANISM:

Rapid switch between clamp and spreader

TOUGHSERIES™ 24 in Hybrid Clamp



DWHT83601

• RUBBER TRIGGER:

Squeeze trigger capable of 300 lb/136 kg holding force. Screw handle increases holding force up to 825 lb/374 kg

• GLUE RESISTANT PADS:

For easy cleanup and to avoid damage to the clamp and/or workpiece

QUICK CHANGE MECHANISM: Rapid switch between clamp and spreader

 PRECISION ADJUSTMENTS: Lower with control and make fine-tune adjustments when leveling with the precision controlled lowering tab

TOUGHSERIES

Promote ease-of-use with the step-to-lift function enabled by the reinforced-handle . HEAVY DUTY LIFT CAPACITY: Complete a wide range of applications

DWHT83550 • HANDS-FREE LIFTING:

lift height of 8-3/4 in





V SHIPPING

IRWIN® OUICK-LIFT™ Construction Jack

IRWIN® QUICK-GRIP® 12 in **Medium Duty Hybrid Clamp**

IRWIN® OUICK-GRIP® 24 in **Medium Duty Hybrid Clamp**



IRHT83100

 LIFTING CAPACITY: Up to 10 ft/330 lb

PRECISION CONTROLLED LOWERING:

For fine tune adjustments and leveling

• NO LOAD QUICK RELEASE: For easy and quick setting



\$112.00

QUICK-GRIE

IRHT83500

• RUBBER TRIGGER:

Squeeze trigger capable of 300 lb/136 kg holding force. Screw handle increases holding force up to 825 lb/374 kg

· GLUF RESISTANT PADS:

For easy cleanup and to avoid damage to the clamp and/or workpiece

 OUICK CHANGE MECHANISM: Rapid switch between clamp and spreader



QUICK-GRIE



\$58.00

IRHT83501

• RUBBER TRIGGER:

Squeeze trigger capable of 300 lb/136 kg holding force. Screw handle increases holding force up to 825 lb/374 kg

GLUF RESISTANT PADS:

For easy cleanup and to avoid damage to the clamp and/or workpiece

OUICK CHANGE MECHANISM:

Rapid switch between clamp and spreader

Offers valid 7/30/2024 - 9/30/2024

NOW SHIPPING

20V MAX* XR® 2-1/4 HP PLUNGE ROUTER (Tool Only)





DCW620B

• OUR MOST POWERFUL 20V MAX* CORDLESS ROUTER:

Take on tough applications without the hassle of a cord

 INTEGRATED DUST COLLECTION WITH AIRLOCK COMPATIBILITY:

Collects up to 97% of dust cutting grooves in particleboard using DCBP520 battery and DWV015 dust extractor (battery and extractor sold separately)

• HELP MAXIMIZE CONTROL: equipped with the ANTI-ROTATION™ System that senses the rotational motion of the tool and shuts it down if the motion is excessive



20V MAX* XR® 1-1/2 in PEX Expander Kit

POV XR





DCE410P1

• EXPANDS:

3/8 in - 1-1/2 in ASTM F1960 Type-A and Type-B PEX piping

THIS TOOL USES DEWALT® PEX HEADS:

It is compatible with leading competitive PEX heads

 AUTOMATIC ROTATING HEAD ACTION: For even pipe expansion

BRIGHT LED:

Work light to help illuminate dark areas



TOOL ONLY: DCE410B 20V MAX* XR® 1-1/2 in PEX Expander (Tool Only)

60V MAX* 1-1/8 in HEX Breaker Hammer Kit (41 lb)







DCH966Z2K

• BRUSHLESS MOTOR:

Delivers 41 J of impact energy for fast chipping of concrete

• WIRELESS TOOL CONTROL:

Technology enables the user to link the tool to the DCV585 60V MAX* dust extractor (sold separately) for remote extractor activation

LOCATION TAG READY:

Comes tag ready so individuals and companies can attach a **DEWALT**® Tag (sold separately) to track its location via the **DEWALT**® Tool Connect app



Corded 1-1/8 in Hex In-Line Demolition Hammer Kit (40 lb)









D25966K

BRUSHLESS MOTOR:

Delivers 41 J of impact energy for fast chipping of concrete

WIRELESS TOOL CONTROL:

Technology enables the user to link the tool to the DCV585 60V MAX * dust extractor (sold separately) for remote

• I OCATION TAG READY:

Comes tag ready so individuals and companies can attach a **DEWALT**® Tag (sold separately) to track its location via the **DEWALT®** Tool Connect app



20V MAX* POWERED Water Tank (Tool Only)

DCE6820B • EFFICIENCY:

A 20V MAX* battery powered water tank gives the user 4 gallons (15 L) of steady water flow without stopping to manually pressurize a pump (battery sold separately)

PORTABILITY:

The water tank has two handles so users can comfortably move the water tank around the jobsite manually

• LARGE MOUTH OPENING:

The wide mouth makes for easy filling and cleaning. The large cap helps prevent spills



Pneumatic Coil Roofing Nailer

DW46RN

• LIGHTWEIGHT:

Balanced lightweight design for easy maneuverability at only 5.36 lb (Tool only)

• DRIVE MODE VERSATILITY:

Easily change between the contact (bump) trigger or sequential trigger

• CONSISTENT NAIL DEPTH:

Quickly and conveniently set nails to desired depths using the nailer's tool-free depth adjustment

. OUICK SHINGLE SPACING:

Adjustable shingle guide for consistent and precise placement

• EASY RELOADING: Two-Door design to efficiently and accurately load fasteners



\$249.00

PUSH & FLIP FOLDING KNIVES

 FAST. ONE-HANDED OPERATION: Opens and closes with a push or flick of the wrist

. PUSH KNIVES HAVE A QUICK CHANGE LEVER: Press-free Insert while preventing accidental blade release









G

20V MAX* XR® 3-Speed 1/4 in High Torque Impact Driver

20V MAX* XR® POWERPACK 8.0Ah Battery



OUR HIGHEST TORQUE IMPACT DRIVER:

Take on tough jobs with up to 66% more torque

PRO-LEVEL POWER:

Power through tough jobs with up to 2,500 in-lb max torque and a no-load speed up to 3,800 RPM

• PRO-LEVEL CONTROL:

Get precise performance with a variable speed trigger and 3-speed mode select. Speeds 1 and 2 are optimized to match the installation speeds of commonly used self-drilling and tapping screws. Refer to the impact driver manual and screw manufacturer instructions for proper installation



20V XQ

DCB2108

MORE POWER-

Tackle tough jobs with more power

• LONGER LIFESPAN:

Help maximize longevity day in and day out with this battery that delivers longer life than traditional cylindrical batteries

STATE-OF-CHARGE:

Get quick visibility to your battery's state-ofcharge with the LED indicator to help avoid



KIT AVAILABLE: DCF860WW 20V MAX* XR® 3-Speed 1/4 in Hight Torque Impact Driver (8.0Ah)

2-PACK AVAILABLE: DCB2108-2 20V MAX* XR® POWERPACK 8.0Ah Battery (2 pk)

\$549.0**0**

\$219.00

20V MAX* XR® Brushless Cordless 1/2 in Hammer Drill (Tool Only)

DCD1007B

• OUR MOST POWERFUL HAMMER DRILL: Take on a wide range of demanding applications

 3-SPEED HIGH-PERFORMANCE TRANSMISSION: Help optimize runtime and performance with an all metal transmission

• HELP MAXIMIZE CONTROL:

Equipped with the ANTI-ROTATION System that senses the rotational motion of the tool and shuts it down if the motion is excessive



KIT AVAILABLE: DCD1007WW1 20V MAX* XR® Brushless Cordless 1/2 in Hammer Drill Kit (8.0Ah)

20V MAX* XR® Copper Swage Tool Kit

DCE450D1 • UP TO 3.2X FASTER:

Work fast and expand 3/4 in [ASTM B280 ACR] soft copper in as little as 2 seconds

2-STAGE ADJUSTABLE COLLAR:

Help prevent cracks in soft copper with the 3/8 in expansion head that allows for a partial expansion in position 1 and a full expansion in

• 1/4 in to 1-5/8 in CAPACITY:

Complete a wide variety of heating, cooling, and refrigeration workflows with this versatile solution



4V MAX* FLEXDRIVE Cordless Screwdriver Kit

DWHT66719

360° SLIDE TO DRIVE COLLAR:

Changes direction with a turn and activates the motor with a simple push, making your work faster and more efficient



CIRCULAR SAW BLADES

• COOL CUTTING PERFORMANCE: Limit binding, warping, or burning the workpiece with a proprietary heat-vent design

 HELP MINIMIZE FRICTION:

Make smooth cuts with a PTFE coating that helps minimize friction and maximize ease-of-use

 OPTIMIZED TOOTH GEOMETRY:

Works in challenging or wet materials with an optimized tooth geometry that delivers crisp, clean cuts



PURE220+™ 9.5 fl oz Quick-Shot Cartridge

DFC114110

- PREMIUM PERFORMANCE: 1:1 ratio adhesive anchor, designed to perform within harsh and demanding jobsites
- EASIER TO DISPENSE: Easier to dispense formula installs and performs in a variety of environmental conditions and temperature extremes
- DUSTX+ APPROVED: Approved for use within DEWALT® OSHA Table 1 compliant cordless, dustless drilling and anchoring system, which results in 50% less installation time versus conventional hole cleaning methods



ATOMIC™ Push & Flip Folding Utility Knife

DWHT10990

ONE-HANDED OPERATION:
Access the blade quickly with a smooth push-and-flip opening that allows for one-handed operation

• LIMIT UNINTENTIONAL BLADE RELEASE: Help prevent unintentional blade release with a secure blade lock

• COMFORTABLE CARRY: Take on tough jobs with an ATOMIC™ ergonomically-designed handle engineered



\$10.00

\$84.00



ATOMIC™ Push & Flip Folding Utility Set

DWHT10995

ONE-HANDED OPERATION:

Access the blade quickly with a smooth push-and-flip opening that allows for one-handed operation

LIMIT UNINTENTIONAL BLADE RELEASE: Help prevent unintentional blade release with a secure blade lock

• COMFORTABLE CARRY:

Take on tough jobs with an ATOMIC™ ergonomically-designed handle engineered for comfort









TOUGHSYSTEM 2.0 DXL

DWST60510





DWST08520





DWST08550



DWST60520





DWST08510





• SMOOTH-OPEN, SECURE-SHUT DRAWERS: Shut the drawer and keep it locked with metal ball-bearing slides and automatic quick-latching mechanism

• TOUGH-TERRAIN WHEELS:

Roll over tough terrain and harsh environments with large caster wheels

• SECURE ESSENTIALS:

Protect tools and equipment from theft with the ability to secure drawers together using a padlock-eye lock and the integrated metal bar

OPTIMIZE ORGANIZATION:

Customize internal organization of tools and accessories with the included heavy-duty removable dividers, or TOUGHSYSTEM™ 2.0 Deep and Shallow Tool Trays, Foam Inserts, and Tool Sets (each sold separately)

TOUGHSYSTEM 2.0 CDL WORKLIGHT

DWST08062

• POWERFUL LIGHTING:

Brighten work spaces with up to 4,000 lumens (using both lights) of natural white light and 7 brightness levels

• 360° LIGHT COVERAGE:

Illuminate jobsites by using the unit freestanding, stacked on TOUGHSYSTEM $^{\text{TM}}$ 2.0 toolboxes, mounted to a tripod (sold separately), or hung using its folding wire hook

• CUSTOMIZED STACKING SOLUTION:

Stack and secure this work light with other TOUGHSYSTEM 2.0 modules using the patented auto-connect stacking latch

 CORDLESS CONVENIENCE:

Power this lighting solution with a DEWALT® 20V MAX* or FLEXVOLT 20V/60V MAX* battery (sold separately)



\$215.00

BUILD YOUR TOUGHSYSTEM[™]

PROMOTIONS



DCH293R2DH

Brushless 1-1/8 in L-Shape SDS PLUS Kit with On Board Extractor



DCH293R2

20V MAX* 1-1/8 in. XR(R) Brushless Cordless SDS PLUS L-Shape Rotary \$639.00



DCH273P2DH0

20V MAX* 1-1/8 i Brushless, Cordless SDS Plus D-Handle Rotary Hammer Kit \$699.00



DCH273P2

20V MAX* XR(R) Brushless 1" L-Shape SDS Plus Rotary Hammer Kit with On Board Dust Extractor \$559.00

BUY 5 SELECT CORDLESS **ROTARY TOOLS**

GET **OF THE SAME**



DCH133M2

Brushless Cordless SDS PLUS D-Handle Rotary \$369.00



DCH263R2DH

20V MAX* XR(R) Brushless 1-1/8 in. SDS Plus D-Handle Rotary Hammer Kit \$639.00



DCH263R2

20V MAX* 1-1/8 in Brushless, Cordless SDS Plus D-Handle Rotary Hammer Kit \$539.00



DCGG571B Grease Gun, Cordless, 14 oz



DCF414B

DEWALT 20V MAX* XR® Brushless, Cordless 1/4 in Rivet Tool \$799.00







DCF961B 🥸

DEWALT 20V MAX* XR® 1/2 in High Torque Impact Wrench \$369.00



DCS382B

Brushless Cordless Reciprocating

\$199.00





DCN680B 20V MAX* XR® 18 GA Cordless Brad Nailer

\$299.00



DCN660B

20V MAX* XR® 16 GA Angled Finish Nailer \$329.00



DCF891B

20V MAX* XR® Cordless 1/2 in Impact Wrench \$249.00



DCF892B

20V MAX* XR® Cordless 1/2 in Impact Wrench with tent Pin Anvil



DCH293B 20V MAX* XR® 1-1/8 in Brushless Cordless SDS PLUS



BUY 5 BARE TOOLS

DCBP520C



DCG413B

20V MAX* XR® Cordless Angle Grinder, 4-1/2 in \$229.00



DCH263B

20V MAX* XR® 1-1/8 in Brushless Cordless SDS PLUS D-Handle Rotary Hammer

\$329.00



DCH273B

20V MAX* XR® 1 in Brushless Cordless Rotary Hammer



L-Shape Rotary Hammer

\$449.00



DCW220B

20V MAX* XR® Cordless Belt Sander, 1,050 fpm. \$299 00



DCM200B

Bandfile, 104° Rotating

\$279 00



DCD444B

20V MAX* Brushless, Cordless 1/2 in Compact Stud & Joist Drill with FI FXV∩I T ADVANTAGE™ \$299.00



BUY 1

BARE TOOL



DCS574B

20V MAX* XR® 7-1/4 in Circular Saw



DCF510B

3/8 in & 1/2 in Sealed \$249 00



DCG415B

20V MAX XR® 4-1/2 - 5 in Brushless, Cordless Small Angle Grinder with Power Detect™ Tool Technology \$249.00



DCL074

Cordless Work Light \$199.00



DCL079B

20V MAX* Cordless Tripod Light, LED, 3000 Lumens, 88 in Max \$229 00



DCS368B Cordless Reciprocating

Saw with FLEXVOLT ADVANTAGE™ \$249.00



DCB208 Lithium Battery \$199.00

VALUE





DCS331B Jinsaw Ton Handle T-Shank, Orbital,





Cut-Out Tool, 1/8 in



BUY 5

BARE

TOOLS







DCK268P2 Drywall Screw Gun and Impact Driver, Power Tool Combo Kit, 2 Batteries and Charger Included \$399.00

SINGLE KIT GET 1 DRYWALL

BUNDLE



BUY 1

DRYWALL





DCE555B \$179.00







DCK303D2 20V MAX* VR® Brush less Drywall Screw Gun and Cut-Out Tool Combo Kit with 2 Batteries and

\$519.00







DCF630B 20V MAX* XR® Brushless Drywall Screwaun \$179.00



\$229 VALUE

BUY 5



DCE200M2K

Plumbing Pipe Press Tool Kit with Crimping Tool Kit with Crimping Heads, 1/2 in to 1-1/4 in

\$3,299.00

DCE200M2 20V MAX* XR® Pipe Press Tool Kit without Crimping Heads, 1/2 in - 4 in Canacity \$2,299.00

BUY 1 **MEP PRESS** TOOL **GET 1 DCF845P2** & DCF921P2 \$700+ VALUE



DCS354B Oscillating Tool, \$159.00



DCF513B 3/8 in

Ratchet, Brushless \$199.00



DCE400B 20V MAX* PEX Expander, 3/8 in to 1 in \$369.00







DCE450D1 20V MAX* Copper Swage Tool Kit 1/4 in to 1-5/8 in \$549.00

BUY 1 COPPER **SWAGE** KIT **GET 1 DWAPVCIR** \$119 VALUE



DCE350M2

20V MAX* Cordless Crimping Tool Kit: Dieless Head, 750 kcmil Max Copper, Latching

\$4,299.00



DCE300M2

20V MAX* XR® Cordless Crimping Tool Kit: Die Head. 750 kcmil Max Copper, For U Dies, C-Head Head

\$3,899.00





DCD200D1 Drain Snake Kit with 5/16 in by 25 ft Black Oxide Drain Cable \$419.00

BUY 1 DRAIN **SNAKE KIT GET 1** DWAIPCIR, 0002005, 0002000 O TO \$15O+ **VALUE**





STRUCTURAL ANCHOR SELECTION GUIDE

			ICC-ES Evaluation Service Reports (ESR's)													
			~		PES EVAI	Liauuri se	vice nep	~	-	450						
ADHESIVE ANCH	ORS	Anchor Diameter	Concrete	Cracked	Seismic	Post-installed Rebar	Concrete-filled Metal Deck	Grouted Masonry	Ungrouted Masonry	Unreinforced Masonry	UL Listing	FM Approval	Relative Capacity	Relative Cost	Hilti Similar	Simpson Similar
Pure220+™ 1-to-1 Cartridge Epoxy Anchor	I Parent I	3/8" - 1-1/4" #3 - #11 Rebar	ESR-5144	ESR-5144	ESR-5144	ESR-5144								0000	RE 500 V3	SET-3G™
Pure110+® 1-to-1 Cartridge Epoxy Anchor		3/8" - 1-1/4" #3 - #11 Rebar	(ESF-3298	ESR-3298	ESR-3298	ESR 3298							fos, los, los.	666	RE 500 V3 RE 100	SET-3G™ SET-XP
Pure50+™ 1-to-1 Cartridge Epoxy Anchor	Pureso+ =	3/8" - 1-1/4" #3 - #10 Rebar	ESR-3576	ESR-3576	ESR-3576								lts. Its.	66	RE 100	SET-XP® and ET-HP®
AC200+™ 10-to-1 Cartridge Acrylic Anchor	AC200+1	3/8" - 1-1/4" #3 - #10 Rebar	ESR-4027	ESR-4027	ESR-4027	ESR-4027							DE DE DE	9999	HY 200	AT-3G AT-XP®
AC100+ Gold® 10-to-1 Cartridge Acrylic Anchor	AC100-Gold	3/8" - 1-1/4" #3 - #10 Rebar	ESR-2582	ESR-2582	ESR-2582			ESR-3200	ESA-3200	ESR-4105			los. los. los.	88	HY 100 HY 270	AT-XP®
EXPANSION ANCHORS																
Power-Stud®+ SD1 Carbon Steel Wedge-Anchor	4	1/4" - 1-1/4"	ESR-2818	ESR-2818	CEST-2818		ESR-2818	ESR-2966			File No. EX1289	FM Approval Guide	fiss. fiss. fise.	0	Kwik Bolt 1 and Kwik TZ2	Strong-Bolt® 2
Power-Stud®+ SD2 High Performance Carbon Steel Wedge-Anchor	4	3/8" - 3/4"	(FS) ESR-2502	(FS) ESR-2502	ESR-2502		ESR-2502				File No. EX1289	F M Approval Guide		00	Kwik Bolt 1 and Kwik Bolt TZ2	Strong-Bolt® 2
Power-Stud®+ SD4 304 Stainless Steel Wedge-Anchor	4	1/4" - 3/4"	ESR-2502	ESR-2502	ESR-2502								iba iba iba	888	Kwik Bolt 3 and Kwik Bolt TZ2	Strong-Bolt® 2
Power-Stud®+ SD6 316 Stainless Steel Wedge-Anchor	4	1/4" - 3/4"	ESR-2502	ESR-2502	ESR-2502								Des. Des. Des.	9999	Kwik Bolt 3 and Kwik Bolt TZ2	Strong-Bolt® 2
SCREW ANCHORS																
Screw-Bolt+™ Hex Head High Performance Screw Anchor	(1/4" - 3/4"	ESR-3889	ESH-3889	ESR-3889		ESR-3889	ESR-4042					D O O D	00	KH-EZ / KWIK HUS	Titen HD ^e
Screw-Bolt+™ Flat Head High Performance Screw Anchor		1/4" - 1/2"	ESH-3889	ESF-3889	ESR-3889		ESF-3889	ESR-4042					los, los, los.	00	KH-EZ C	Titen HD®
UltraCon+® Concrete Screw Anchor	Ö munumanının	3/16" - 1/4"	ESR-3068					ESR-3068						6	Kwik-Con II+	Titen Turbo™
SPECIALITY ANCHORS																
CCU+™ Heavy Duty Undercut Anchor		3/8" - 3/4"	ESR-4810	ESR-4810	ESR-4810									0000	HDA Undercut	TCA
Power-Bolt®+ Heavy Duty Sleeve Anchor		1/4" - 3/4"	ESR-3260	ESR-3260	100 ESR-3260								los. los. los	999	HSL-3 and HSL-4	N/A

ANCHORS & FASTENERS

NTEED TOUGH®

SWITCH OUT YOUR OLD BOSCH BITS

DeWALT® features:

- NO BREAK GUARANTEE*
- Pilot Point
- Anchor Wear Mark Indicator

GUARANTEED TOUGH!

ELITE SERIES™ SDS MAX MASONRY DRILL BITS

EXTREME DURABILITY:

IRON BLAST TECHNOLOGY™ strengthens the bit and resists fatigue resulting in extreme durability. Featuring the NO BREAK GUARANTEE*- If your bit fails for any reason while the wear mark is visible, will replace it (excludes: DW5861, DW5860, DW5831)

CONTROLLED PENETRATION INTO CONCRETE:

Pilot point design for quick starts into the material and accurate holes.

AGGRESSIVE MATERIAL REMOVAL:

Two stage flute design featuring a variable helix pattern allows for efficient debris removal from around the contact zone for fast drilling

ADDITIONAL FEATURES:

High Impact carbide tip, wear mark indicator for accurate hole diameter

GUARANTEED TOUGHTM MADE IN GERMANY



SDS PLUS MASONRY DRILL BITS

STRONG CORE:

Tapered core for bit strength and maximum durability to help resist flute breaks especially when drilling deep holes

AGGRESSIVE MATERIAL REMOVAL:

Two stage flute design featuring a variable helix pattern allows for efficient debris removal from around the contact zone

CLEAN, ROUND HOLES:

Two sharp carbide cutting edges deliver clean, round holes for secure anchor installation

ADDITIONAL FEATURES:

NO BREAK GUARANTEE*, Pilot Point, Anchor Wear Mark indicator

GUARANTEED TOUGHTM MADE IN GERMANY



SDS PLUS REBAR CUTTERS

- The SDS Plus rebar cutters feature optimized carbide tip geometry that easily drills through rebar when hole for anchor cannot be moved.
- New head design enables drilling in hammer mode
- SDS Plus shank allows easier switch between the carbide and rebar cutter



E SECRETAR SAME AND	Alle	
PRODUCT #	BIT	
DWA54100-10254	1 in x 12 in	\$82.75
DWA54120-10254	1/2 in x 12 in	\$46.55
DWA54340-10254	3/4 in x 12 in	\$65.96
DWA54380-10254	3/8 in x 12 in	\$39.52
DWA54580-10254	5/8 in x 12 in	\$54.86
DWA54780-10254	7/8 in x 12 in	\$70.04

Disclaimer: Item availability not guaranteed. Prices subject to change without notice.



BUFFALO/HQ 55 James E. Casey Dr, Buffalo, NY 14206 716.826.2636

ROCHESTER 20 Jetview Dr, Rochester, NY 14624 585.235.0160

SYRACUSE 6181 Thompson Rd Suite 500A, Syracuse, NY 13206 315.299.4114

HANES SUPPLY INC. WATERTOWN 22432 US Route 11, Watertown, NY 13601 315.782.8247

ALBANY 156 Railroad Ave Albany, NY 12205 518.438.0139

CONNECTICUT 1 Shoreline Dr. Suite 6, Guilford, CT 06437 203.481.3469

CAROLINAS 4350 Thermal Ave, Midland, NC 28107 704.220.1779

WWW.HANESSUPPLY.COM