



TOWER, POLE & TREE
CLIMBING
GUIDE

HARNESSES & FALL RESTRICTION



FALLTECH® 7016 Standard Harness

- 5 points of adjustment (chest, legs and torso)
- Paired mating buckle adjusters on front torso
- Torso keeper for stowing idle lanyard connector
- 9-position tongue buckle leg straps
- One lanyard keeper
- Available in L/XL

ITEM # **FAL97001**



3M™ DBI-SALA® 1113357 Comfort Arc Flash Tower Climbing Harness

- Nomex®/Kevlar® material provides shoulder, back and leg comfort padding
- Lightweight aluminum stand up PVC coated aluminum back D-ring
- Lightweight aluminum PVC coated aluminum front D-ring
- Body belt/hip pad with PVC coated lightweight aluminum side D-rings
- Removable seat sling with aluminum board & lightweight aluminum PVC coated aluminum suspension D-rings
- Web locking quick-connect chest & leg straps
- Leather insulators
- Built-in lanyard keepers
- Revolving vertical torso buckle
- Impact indicator
- Integrated flame-resistant trauma straps
- Protected labels, equipped with 3M™ connected safety

ITEM # **1113357-10349**



SAFEWAZE™ FS377 Wind & Tower Construction Harness

- Dorsal and Front D-ring
- Side positioning D-rings
- Quick torso adjusters
- Quick-connect chest
- Tongue buckle legs
- Shoulder, waist and leg pads

ITEM # _____ SIZE _____

FS377-M-10829 M

FS377-XL-10829 XL

FS377-XXL-10829 2XL



FALLTECH® 7015 Basic Harness

- 1 Back D-ring
- Mating Buckle Legs and Chest
- Available in L/XL

ITEM # **FAL97000**



FALLTECH® 8180M APEX™ PRO Adjustable Wood Pole Fall Restrict Device

- Replacement neodymium magnetic tail keeper mitigates trips and snags caused by the tail end of the rope
- Strap - leather
- OSHA, CSA, ASTM user capacity: 425 lb maximum


ITEM # **8180M-10077**



PETZL® B071BA00 ASAP® LOCK Mobile Fall Arrester

- Arrests any falls, slides, and uncontrolled descents
- Works on the vertical or angled rope
- Locks on the rope even if grabbed during the fall

ITEM # **B071BA00-16646**



FALLTECH® 8050 FT-LINEMAN PRO™ Body Belt

- Fully adjustable & ergonomical
- Optimized primary connecting links maintain proper orientation of both carabiner and climber
- Features quick-connect buckle style belt connection (QC models only)
- Primary connecting links: plated alloy steel; 5,000 lb min static strength with 3,600 lb gate strength
- Features 4 kV rated dielectric overmolded d-rings for secondary connection, protected from arc flash and electrocution hazards
- Primary connecting links: plated alloy steel; 5,000 lb min static strength with 3,600 lb gate strength
- OSHA & ASTM user capacity: 420 lb max

ITEM # _____ SIZE _____

8050S-10077 S

8050M-10077 M

8050L-10077 L

8050XL-10077 XL

8050QCS-10077 (QUICK CONNECT) S

8050QCM-10077 (QUICK CONNECT) M

8050QCL-10077 (QUICK CONNECT) L



FALLTECH® APEX™ PRO Adjustable Wood Pole Fall Restrict Device

- Designed for exceptional performance and ease of operation in all conditions (dry, wet, or icy)
- Purpose built, proprietary compact snap hook makes connection quick and easy with as few as two fingers
- Horizontal Rope Adjuster designed for ultimate ergonomics, even with a gloved hand

ITEM # _____

8180R-10077 (ROPE ONLY)

8180SR-10077 (SECONDARY ROPE)




FALLTECH® 8180D APEX™ PRO Adjustable Wood Pole Fall Restrict Device

- Designed for exceptional performance and ease of operation in all conditions (dry, wet, or icy)
- Purpose built, proprietary compact snap hook makes connection quick and easy with as few as two fingers
- Horizontal Rope Adjuster designed for ultimate ergonomics, even with a gloved hand

ITEM # **8180D-10077**

LANYARDS

	ITEM #
[A] SAFEWAZE™ FS33200 Rope Positioning Lanyard, Ascender, 6 ft	FS33200-10829
[B] SAFEWAZE™ FS560 High Profile Energy Absorbing Lanyard, Snap Hooks, 6 ft	FS560-10829
[C] SAFEWAZE™ FS813 D-Ring Extender, 18 in	FS813-10829
[D] SAFEWAZE™ PRO+ FS88761-FF-ALU Freefall Dual-Leg Energy Absorbing Lanyard, Rings	FS88761-FF-ALU-10829
[E] SAFEWAZE™ FS590 Low Profile Elastic Energy Absorbing Lanyard, Snap Hooks, 12 ft	FS590-10829
[F] FALLTECH® 8253 VIEWPACK™ Shock Absorbing 1 Leg Lanyard, (2) Snap Hooks, 6 ft	FAL27053
[G] FALLTECH® 8240Y3 ELASTECH® Shock Absorbing 2 Leg Lanyard, Rebar Hook Anchorage, 6 ft	FAL15023
[H] FALLTECH® 82403 ELASTECH® Shock Absorbing 1 Leg Lanyard, Rebar Hook Anchorage, 6 ft	FAL15021
[I] FALLTECH® HS8259 Expand Yard, Small Hooks, 6 ft	FAL97029
[J] FALLTECH® HS82593 Expand Yard, Large Hooks, 6 ft	FAL97030



RESCUE & DESCENT CARABINERS



SAFEWAZE™ FS1015 Steel Carabiner

- 11/16 in steel
- Twist lock
- Yellow zinc coated

ITEM # FS1015-10829



PETZL® M032AA00 Bm'D Aluminum Carabiner

- Triact-Lock
- Triple action 18mm gate opening
- Locks on the rope even if grabbed during the fall

ITEM # M032AA00-16646



MILLER® By HONEYWELL 180-1/ Automatic Carabiner

- 2 in snap & 2 in gate
- Steel twist lock

ITEM # FAL69243



MILLER® By HONEYWELL 170-1/ Automatic Carabiner

- 1 in snap & 1 in gate
- Plated for rust & corrosion resistance
- Large steel twist lock

ITEM # FAL69244



3M™ DBI-SALA® 3327275 ROLLGLISS™ Rescue and Descent Device

- Fully automatic controlled descent
- Bi-directional design enables multiple rescues
- Built-in rescue lifting wheel
- Dual brake design
- 130 lb to 620 lb weight capacity

ITEM # 3327275-10349



PETZL® K090AA00 JAG Rescue Kit

- JAG SYSTEM haul kit
- RING OPEN gated ring
- I'D EVAC descender
- AXIS 11 mm rope
- CONNEXION FIXE 150 cm anchor strap
- 25 L bucket bag for 30 m rope

ITEM NO # K090AA00-16646



SAFEWAZE™ 020-12101 EVO Detachable Cable Sleeve

- Stainless steel base with aluminum cover plate
- Internal cam locking system
- Nylon inversion prevention trigger
- Web energy absorber with steel carabiner
- 420 lb weight capacity
- Meets ANSI and OSHA standards

ITEM # 020-12101-10829



SAFEWAZE™ FS700-100

- 100 ft, 5/8 in polyester rope
- 1 snap hook
- Rope tensile strength: 7,500 lb
- Hook gate rating: 3,600 lb
- Hook minimum breaking strength: 5,000 lb

ITEM # K090AA00-16646



HSI® Vertical Lifeline

- Large & small double lock hook ends
- 5/8 in polyester/polypropylene blend rope
- Double locking snap hook at one or both ends
- Designed for use by one worker with a trailing grab hook
- Rope is hand spliced to hook eye with protective plastic thimble in eye
- Available in lengths up to 600

ITEM # HSI-VL



SAFEWAZE



Fall Protection



FALLTECH®

ROPE GRAB



3M™ DBI-SALA® 5000335 LAD-SAF™ Mobile Rope Grab

- Mobile design automatically follows user
- Inertia and cam locking systems for safety
- Energy absorbing design reduces forces
- Detachable anywhere along the lifeline
- Durable and lightweight corrosion resistant construction
- Unique design is less sensitive to rope variations
- For use with 5/8 in rope lifeline

ITEM # FAL50105



FALLTECH® 7479 Self-Tracking Rope Grab

- Hinged design allows user installation at any point on the lifeline
- Trailing mobility follows ascending and descending user with minimal effort.
- Cam-action braking design quickly locks on the lifeline to arrest the fall
- Tension roller and internal spring maintain lifeline position and allow user mobility
- Anti-inversion hinge cam prevents upside-down installation

ITEM # FAL15012



MILLER® BY HONEYWELL 8174/U Manual Rope Grab

- For use on 5/8 in or 3/4 in rope
- Corrosion resistant stainless steel
- Moves easily up and down vertical lifelines providing continuous protection
- 2.145 in ID O-ring

ITEM # FAL69120

TRAUMA RELIEF



FALLTECH® 5040 Suspension Trauma Relief System

- 2-part UniFit system easily attaches to most harnesses with choke-on snap fastener installation
- Adjustable length step-in continuous loop accommodates both user's feet to relieve pressure and improve balance.
- Features paired thumb loops for quick user deployment after a fall
- Step-in webbing assembly features full-length reflective striping and steel adjuster buckles for use with 5/8 in rope lifeline

ITEM NO # 5040-10077

PIP GLOBAL SAFETY

PIP® TRAVERSE 280-HP1491RM-01 White Climbing Helmet

- ANSI Class E
- Ultra-lightweight polycarbonate/ABS shell
- MIPS® (multi-directional impact protection system) brain protection system
- 4-point quick release suspension with dual position height adjustment
- Rugged non-slip adjustable micro-metric wheel ratchet ensures proper suspension, performance and effortless fit
- Universal accessory slots accommodate eye, face and hearing protection for full line of Traverse accessories

ITEM # 280-HP1491RM-01-12486



MILWAUKEE® Adjustable Safety Helmet



- Lexan™ polycarbonate shell construction
- Protects side and top impact
- Compatible with BOLT™ accessories
- Comfortable padded suspension with adjustable swinging ratchet
- 5 adjustable buckles chin strap
- Replaceable chin strap suspension, sweatband and liner

BRIMLESS HELMETS

ITEM #	ANSI CLASS	COLOR
[A] 48-73-1301-11961 (NON-VENTED)	E	WHITE
[B] 48-73-1300-11961	C	WHITE
[C] 48-73-1308-11961	C	RED

BRIMMED HELMETS

ITEM #	ANSI CLASS	COLOR
[D] 48-73-1320-11961 (NON-VENTED)	C	WHITE
[E] 48-73-1324-11961	C	BLUE
[F] 48-73-1328-11961	C	RED



KLEIN® 56040 Rechargeable Focus Flashlight

- Rechargeable, focusable LED bulb
- Class IIIa red laser
- 10 ft drop resistant, IP54 dust & water resistance
- USB rechargeable with battery gauge

ITEM # 56040-11611



MILWAUKEE® 2163-21 REDLITHIUM™ Hard Hat Headlamp

- 5 light output intensity modes
- Detachable for easy USB-C charging
- 6 ft drop resistant, IP54 dust & water resistance
- 4 hard hat clips and rubber grip for secure hard hat attachment

ITEM # 2163-21



MILWAUKEE® 2118-21 BOLT™ REDLITHIUM™ Headlamp

- 4 light output intensity modes
- Low profile design for face shield clearance
- 70° pivoting light head
- Cam lock mounted battery for secure and balanced rear attachment

ITEM # 2118-21-11961

HALO™ S100010-101 SL Headlamp

- 360° visibility for a quarter-mile
- 50 ft spotlight and flood task lighting
- Compatible with any standard hard hat
- Battery life indicator
- Battery and charger included

ITEM # S100010-101-16846



PETZL® A016AA01 Liner Breathable Cap

- Breathable polyester/spandex membrane
- Moisture wicking & quick drying
- Fits comfortably under a helmet
- Machine washable

ITEM # A016AA01-16646



MILWAUKEE® 48-22-8855 Anchor Strap

- 50 lb capacity
- Tether more tools, more places
- Holds 5 carabiners, oversized D-ring
- Abrasion resistant 840D sleeve
- Loop securely wraps around beams & rails

ITEM # 48-22-8855-11961

3M™ DBI-SALA® 1003000 Temporary Cross-Arm Strap, 3FT

- Abrasion resistant polyester wear pad
- High strength steel hardware
- Compact and lightweight design

ITEM # FAL50015



SAFEWAZE™ FS811-6 Medium Duty Cross-Arm Strap, 6 ft

- Lightweight and portable, easy install
- Durable tubular strap webbing

ITEM # FS811-6-10829



HSI® 03-6 Web Cross-Arm Strap, 6FT

- HSI® made 6 ft
- Nylon construction
- Polyester abrasion resistance

ITEM # FAL97020

KNOW THE **A B C**'S OF FALL PROTECTION



SCAN THE QR CODE FOR OUR FALL PROTECTION FLYER

GLOVE RATINGS Abrasion: AB | Cut: CT | Tear: TR | Impact: IM | Puncture: PN | Heat: HT | Arc Flash: AF

SUPERIOR GLOVE™ 378GKGVB ENDURA®
Anti-Impact Driver Gloves



- Vibration dampening gel padded palms
- TPR anti-impact backing
- High tensile strength goatskin provides outstanding abrasion-resistance
- Treated with Oilbloc™ for oil and water-repellency
- Arc flash testing placed these gloves at level 3, with an arc thermal performance value (ATPV) of 36 cal/sq-cm
- Kevlar® and composite filament fiber lining for excellent cut protection

AB: 4 | CT: A5 | PN: 4 | IM: 2 | HT: 5 | AF: 3

ITEM #	SIZE
378GKGVBS-13048	S
378GKGVBM-13048	M
378GKGVB-13048	L
378GKGVB-XL-XL	XL

SUPERIOR GLOVE™ 378GOBTKL ENDURA®
Driver Winter Cut-Resistant Gloves



- Goat grain leather with Oilbloc™ for unbeatable oil resistance and Waterstop™ for excellent water, oil and stain repellent properties
- Goatskin is exceptionally tough and abrasion resistant with a high strength to weight ratio
- Seamless knit, cut resistant Kevlar® lining 100 g Thinsulate™ lining for excellent warmth to 5°F without the bulk
- Arc thermal performance value (ATPV) of 52 cal/sq-cm
- Elasticized backs for a snug fit

AB: 4 | CT: A4 | PN: 4 | HT: 2 | AF: 3

ITEM #	SIZE
378GOBTKLS-13048	S
378GOBTKLM-13048	M
378GOBTKLL-13048	L
378GOBTKLX-13048	XL

SUPERIOR GLOVE™ 378GKTK ENDURA®
Driver Winter Cut-Resistant Gloves



- Goatskin offers a great balance between durable and tactile
- Excellent Cut-Resistance thanks to blended Kevlar®/composite filament fiber lining
- Lining is cut-and-sewn for a no-bunch custom fit
- Keystone thumb for better durability and comfort
- Thinsulate™ lining for great warmth without bulk
- Good for winter protection to 5°F

CT: A2 | PN: 4

ITEM #	SIZE
378GKTKLM-13048	M
378GKTKLL-13048	L
378GKTKLXL-13048	XL

MCR SAFETY N9690HV NINJA® ICE
Dipped Insulated Gloves



- 15-ga hi vis lime nylon shell with a 7-ga acrylic terry interior liner
- Hi visibility HPT repels liquids while providing strong wet or dry grip
- Over the knuckle coating for added protection
- Coating remains soft in temperatures as low as -58°F

AB: 3 | CT: A3 | PN: 2 | HT: 2

ITEM #	SIZE
N9690HVM-11884	M
N9690HVL-11884	L
N9690HVXL-11884	XL
N9690HVXXL-11884	2XL

PIP® G-TEK® 34-800 MAXIFOAM®
Premium Coated Gloves



- Seamless one-piece nylon shell
- Light nitrile coating gives improved flexibility and abrasion resistance
- Surface of the glove designed to "channel" oil away to give a better grip
- Minimal strikethrough reduces irritation and increases comfort levels
- 100% silicone free and designed to produce minimal lint and dust

AB: 4 | CT: A1 | TR: 2 | PN: 1

ITEM #	SIZE
PRO37039	S
PRO37038	M
PRO37027	L
PRO72130	XL

MILWAUKEE® 48-22-895
Breathable Double Dipped Gloves, 12 pk



- Smartwipe™ palm and fingertips permits the use of touch screen devices
- Best in class puncture rating for resistance to sharp materials
- High dexterity design for small objects
- Double dipped nitrile with sandy texture finish
- HPPE lining
- For sheet metal, ducting and glass handling applications

AB: 4 | CT: E | TR: 4 | PN: 4

ITEM #	SIZE
48-22-8951B-11961	M
48-22-8952B-11961	L
48-22-8953B-11961	XL
48-22-8954B-11961	2XL

GLOVES



KLEIN TOOLS®

KLEIN® 510212BLK Canvas Tool Bag



- Rivet-reinforced & steel-frame mouth for durability
- Stitched and riveted leather handles
- Two retaining straps with buckles
- Moisture resistant vinyl bottom
- Non-scratch base
- 12 in L x 10 in H x 6 in W

ITEM # 510212BLK-11611

KLEIN® 5180 XL Equipment Bag



- Orange vinyl coated nylon fabric bag
- Bottom extends 3 in up the sides
- Bottom reinforced with 1/4 in plywood and protected by metal studs
- Riveted wide opening steel frame
- Extra flap for storm protection
- 24 in L x 18 in H x 10 in W

ITEM # THA38460

KLEIN® 5102-20 Heavy Duty Tool Bag



- Rivet reinforced for durability
- Steel frame wide mouth with hinge
- Stitched and riveted leather handles
- Moisture resistant, vinyl bottom and lower
- Non-scratch studs on base
- Two retaining straps with buckles
- 20 in L x 15 in H x 6 in W

ITEM # THA38037

KLEIN® 5102-16SP Canvas Tool Bag



- Rivet reinforced for durability
- Steel frame wide mouth with hinge
- Stitched and riveted leather handles
- Two retaining straps with buckles
- Non-scratch studs on base
- Moisture resistant, vinyl lower
- 16 in L x 14 in H x 6 in W

ITEM # 5102-16SP-11611

KLEIN® 5182BLA Large Equipment Bag



- Two, Velcro® fastened outside pockets
- Double stitched plastic bottom
- Velcro® fastened right side rain flap
- Slide action buckles for bag closure
- Steel frame wide mouth
- Two retaining straps with buckles
- 24 in L x 20 in H x 10 in W

ITEM # 5182BLA-11611

KLEIN® 5181ORA Equipment Tool Bag



- Velcro® fastened outside pocket
- 53 interior & 25 exterior pockets
- Velcro® fastened right side rain flap
- Steel frame wide mouth
- Double stitched plastic bottom
- Slide action buckles for bag closure
- 24 in L x 20 in H x 10 in W

ITEM # 5181ORA-11611

KLEIN® 55469 TRADESMAN PRO™ Tool Bag



- Stay open top for easy tool access
- Orange interior and a wider opening
- Multiple exterior front and back pockets
- Various sized interior pockets
- 9 exterior pockets, 33 interior pockets
- Two retaining straps with buckles
- 17-3/4 in L x 16-1/4 in H x 10-1/4 in W

ITEM # THA38057

KLEIN® 55431 TRADESMAN PRO™ Organizer



- 1680D ballistic weave for durability
- Shoulder strap with extra padding
- Tough, durable rubber feet
- Twist on/twist off removable LED light
- Orange interior for easy tool visibility
- 17 exterior pockets, 14 interior pockets
- 15-1/4 in L x 14 in H x 8 in W

ITEM # 55431-11611

STORAGE



KLEIN® 55604
Rolling Tool Backpack

- 28 pockets for maximum storage
- Fully molded bottom protection
- Headlamp bracket for internal/external use
- Converts from carry to rolling tool bag
- 3 in heavy duty wheels
- Extra padding on back for comfort
- 17-1/2 in L x 25-1/2 in H x 10-1/4 in W

ITEM # 55604-11611



KLEIN® 55485
TRADESMAN PRO™
Tool Master Backpack

- Removable 11 pocket tool caddy
- Adjustable front pouch for quick tool retrieval
- Exterior port for charging devices
- Molded front pocket helps protect items
- 12 exterior pockets, 36 interior pockets
- Water resistant
- 13-1/2 in L x 19-1/2 in H x 11 in W

ITEM # THA38630



KLEIN® 62800BPCAMO
TRADESMAN PRO™
XL Tool Backpack

- 1680D ballistic weave for durability
- Large interior to easily carry power tools, zipper bags, and equipment
- Exterior port for charging devices
- Riveted wide opening steel frame
- 40 pockets for maximum storage
- 14-3/4 in L x 20 in H x 11 in W

ITEM # 62800BPCAMO-11611



KLEIN® 51850RA
Lineman's Tool Backpack

- Easily accommodate helmets, belts and other equipment
- Large front pocket for separate storage of gaffs, rubber gloves or other equipment
- Padded back area
- Durable, double stitched plastic bottom with drain holes
- Adjustable padded shoulder straps with adjustable chest strap
- 18 in L x 23 in H x 10 in W

ITEM # 62800BPCAMO-11611



KLEIN® 55470
1-Pocket Stand-Up
Zipper Bag Set

- 2520 ballistic reinforced bottom
- Stand up bottom
- Colored interior to see items better
- Storage applications
- Gray: 8-1/2 in L x 6-1/2 in H x 1-1/8 in W
- Orange: 9 in L x 7-1/2 in H x 1-1/8 in W

ITEM # THA41614



KLEIN® 5539LCPAK
Canvas Tool Bags

- Storage for large hand tools/materials
- Wide-bottom for stability when standing and easy access when open
- Heavy-duty brass zipper
- Distinct bag color helps organize tools by job
- Sturdy brass grommet for hanging
- 18 in L x 8 in H x 3-1/2 in W

ITEM # 5539LCPAK-11611



MILWAUKEE® 48-55-3490
Contractor Bag

- Water-resistant, 600 denier
- Zippered closure
- Compartments: 33
- Tool and accessory storage applications
- 15-1/2 in L x 9-3/4 in H x 3 in W

ITEM # TAC20045



MILWAUKEE® 48-55-3500
Contractor Bag

- Water-resistant, 600 denier
- Zippered closure
- Compartments: 33
- Tool and accessory storage applications
- 22 in L x 9 in H x 5 in W

ITEM # TAC20540



MILWAUKEE® 48-55-8300
PACKOUT™ Tech Bag

- Durable 1680D ballistic material
- 58 pockets including 1 hardshell
- Impact resistant polymer base
- Protected laptop sleeve
- 17-1/2 in L x 17-1/2 in H x 11 in W

ITEM # 48-22-8300-11961



NEED A REFRESHER FOR YOU OR YOUR CREW?

SCAN THE QR AND CHECK OUT OUR FALL PROTECTION TRAINING & SEMINAR INFO TODAY!

- [A] **MILWAUKEE® BOLT™** Earmuffs
ITEM NO # 48-73-3251-11961
- [B] **MILWAUKEE®** Front Brim Safety Helmet
ITEM # 48-73-1321-11961
- [C] **MILWAUKEE® BOLT™** Pivoting Tinted Visor
ITEM # 48-73-1416-11961
- [D] **MILWAUKEE® M18 FUEL™** Top Handle Chainsaw, 14 in
ITEM # 2826-21T-11961



TREE KIT #1

- [A] **MILWAUKEE® BOLT™** Earmuffs
ITEM # 48-73-3251-11961
- [B] **MILWAUKEE®** Front Brim Safety Helmet
ITEM # 48-73-1321-11961
- [C] **MILWAUKEE® BOLT™** Mesh Face Shield
ITEM # 48-73-1430-11961
- [D] **MILWAUKEE® M18 FUEL™** Top Handle Chainsaw, 14 in
ITEM # 2826-21T-11961



TREE KIT #2

MILWAUKEE® 3697-22 M18 FUEL™ 2-Tool Combo Kit

- Powerstate™ brushless motors for both tools
 - Hammer drill is 6.9 in length, Impact driver is 4.47 in length
 - Ultimate trigger control by providing smooth acceleration
 - Fastest drilling and driving applications under load
 - Autostop™ feature to protect from over-rotation equipped with a dedicated Autostop™ light to indicate a protection event
 - 4-Mode drive control
- ITEM # **3697-22-11961**



KIT INCLUDES:

- [1] M18 FUEL™ 1/2 in Hammer Drill
- [1] M18 FUEL™ 1/4 in Hex Impact Driver
- [2] M18™ REDLITHIUM™ XC 5.0 Extended Capacity Batteries
- [1] M18™ & M12™ Multi-Voltage Charger
- [1] Blow Mold Storage Case

DeWALT 20V MAX* WITH FLEXVOLT ADVANTAGE™ Combo Kit

- DCD999 Hammer Drill gets up to 42% more power** when paired with FLEXVOLT® batteries
 - DCF887 has application versatility with 3-speed settings
 - DCF887 helps prevent over-tightening fasteners with Precision Drive in speed 1 setting
 - DCB118 8 Amp Fast Charger is compatible with 20V MAX* batteries and FLEXVOLT® 20V/60V MAX* batteries
 - Both tools compatible with all DeWALT® 20V MAX* and FLEXVOLT® Batteries
- ITEM # **DCK2100P2-10254**



KIT INCLUDES:

- [1] 20V MAX* 1/2 in Hammer Drill/Driver with FLEXVOLT ADVANTAGE™
- [1] 20V MAX* XR® Impact Driver
- [2] 20V MAX* 5Ah batteries
- [1] 8 Amp Fast Charger
- [1] Storage Bag

FREE PRIZE PACK

BUILD YOUR OWN KIT
Choose product from 4 separate categories and receive this free **PRIZE PACK!**



PRIZE PACK INCLUDES:

- Milwaukee® PACKOUT™ Tool Box
- Milwaukee® SHOCKWAVE™ PACKOUT™ Impact Driver Bit Set
- Milwaukee® GRIDIRON™ Snapback Trucker Hat
- Hanes Supply, Inc. T-Shirt